



OIPE

RAW SEQUENCE LISTING

DATE: 09/24/2003 TIME: 10:39:04

FNTERED

PATENT APPLICATION: US/10/660,051

Input Set : A:\Sequence-100-030911.txt

Output Set: N:\CRF4\09242003\J660051.raw

- 3 <110> APPLICANT: none
- 4 Ruiz, Antonio
- 5 Papathanassiu, Adonia E.
- 7 < 120 > TITLE OF INVENTION: Compositions and Methods for the Treatment of Mycobacterial Infections
 - 9 <130> FILE REFERENCE: 100-030911
- C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/660,051
- C--> 11 <141> CURRENT FILING DATE: 2003-09-11
 - 11 <150> PRIOR APPLICATION NUMBER: 60/424,265
 - 12 <151> PRIOR FILING DATE: 2002-11-06
 - 14 <160> NUMBER OF SEQ ID NOS: 5
 - 16 <170> SOFTWARE: PatentIn version 3.1
 - 18 <210> SEQ ID NO: 1
 - 19 <211> LENGTH: 15
 - 20 <212> TYPE: PRT
 - 21 <213> ORGANISM: Tolypocladium niveum
 - 23 <220> FEATURE:
 - 24 <221> NAME/KEY: MISC_FEATURE
 - 25 <222> LOCATION: (1)..(1)
 - 26 <223> OTHER INFORMATION: ACETYLATION, pipecolic acid
 - 29 <220> FEATURE:
 - 30 <221> NAME/KEY: MOD RES
 - 31 <222> LOCATION: (2)..(2)
 - 32 <223> OTHER INFORMATION: Aib
 - 35 <220> FEATURE:
 - 36 <221> NAME/KEY: MISC_FEATURE
 - 37 <222> LOCATION: (3)..(3)
 - 38 <223> OTHER INFORMATION: pipecolic acid
 - 41 <220> FEATURE:
 - 42 <221> NAME/KEY: MOD_RES
 - 43 <222> LOCATION: (4)..(5)
 - 44 <223> OTHER INFORMATION: Aib
 - 47 <220> FEATURE:
 - 48 <221> NAME/KEY: MOD_RES
 - 49 <222> LOCATION: (7)...(7)
 - 50 <223> OTHER INFORMATION: bAla
 - 53 <220> FEATURE:
 - 54 <221> NAME/KEY: MOD RES
 - 55 <222> LOCATION: (9)..(10)
 - 56 <223> OTHER INFORMATION: Aib
 - 59 <220> FEATURE:
 - 60 <221> NAME/KEY: MISC_FEATURE
 - 61 <222> LOCATION: (11)..(11)
 - 62 <223> OTHER INFORMATION: pipecolic acid

DATE: 09/24/2003

TIME: 10:39:04

Input Set : A:\Sequence-100-030911.txt Output Set: N:\CRF4\09242003\J660051.raw 65 <220> FEATURE: 66 <221> NAME/KEY: MOD RES 67 <222> LOCATION: (12)..(12) 68 <223> OTHER INFORMATION: Aib 71 <220> FEATURE: 72 <221> NAME/KEY: MOD RES 73 <222> LOCATION: (15)..(15) 74 <223> OTHER INFORMATION: BLOCKED, Aib 77 <400> SEQUENCE: 1 W--> 79 Xaa Ala Xaa Ala Ala Leu Ala Gly Ala Ala Xaa Ala Gly Leu Ala 83 <210> SEQ ID NO: 2 84 <211> LENGTH: 15 85 <212> TYPE: PRT 86 <213> ORGANISM: Tolypocladium niveum 88 <220> FEATURE: 89 <221> NAME/KEY: MISC FEATURE 90 <222> LOCATION: (1)..(1) 91 <223> OTHER INFORMATION: ACETYLATION, pipecolic acid 94 <220> FEATURE: 95 <221> NAME/KEY: MOD RES 96 <222> LOCATION: (2)..(2) 97 <223> OTHER INFORMATION: Aib 100 <220> FEATURE: 101 <221> NAME/KEY: MISC FEATURE 102 <222> LOCATION: (3)..(3) 103 <223> OTHER INFORMATION: pipecolic acid 106 <220> FEATURE: 107 <221> NAME/KEY: MOD RES 108 <222> LOCATION: (4)..(5) 109 <223> OTHER INFORMATION: Aib 112 <220> FEATURE: 113 <221> NAME/KEY: MOD RES 114 <222> LOCATION: (7)..(7) 115 <223> OTHER INFORMATION: bAla 118 <220> FEATURE: 119 <221> NAME/KEY: MOD_RES 120 <222> LOCATION: (9)..(10) 121 <223> OTHER INFORMATION: Aib 124 <220> FEATURE: 125 <221> NAME/KEY: MISC FEATURE 126 <222> LOCATION: (11)..(11) 127 <223> OTHER INFORMATION: pipecolic acid 130 <220> FEATURE: 131 <221> NAME/KEY: MOD RES 132 <222> LOCATION: (12)..(12) 133 <223> OTHER INFORMATION: Aib

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/660,051

136 <220> FEATURE:

137 <221> NAME/KEY: MOD RES

DATE: 09/24/2003

PATENT APPLICATION: US/10/660,051 TIME: 10:39:04 Input Set : A:\Sequence-100-030911.txt Output Set: N:\CRF4\09242003\J660051.raw 138 <222> LOCATION: (15)..(15) 139 <223> OTHER INFORMATION: BLOCKED, isovaline 142 <400> SEQUENCE: 2 W--> 144 Xaa Ala Xaa Ala Ala Leu Ala Gly Ala Ala Xaa Ala Gly Leu Val 148 <210> SEQ ID NO: 3 149 <211> LENGTH: 15 150 <212> TYPE: PRT 151 <213> ORGANISM: Tolypolcadium niveum 153 <220> FEATURE: 154 <221> NAME/KEY: MISC FEATURE 155 <222> LOCATION: (1)..(1) 156 <223> OTHER INFORMATION: Acetylation, pipecolic acid 159 <220> FEATURE: 160 <221> NAME/KEY: MOD RES 161 <222> LOCATION: (2)..(2) 162 <223>.OTHER INFORMATION: Aib 165 <220> FEATURE: 166 <221> NAME/KEY: MISC FEATURE 167 <222> LOCATION: (3)..(3) 168 <223> OTHER INFORMATION: pipecolic acic 171 <220> FEATURE: 172 <221> NAME/KEY: MOD RES 173 <222> LOCATION: (4)..(4) 174 <223> OTHER INFORMATION: isovaline 177 <220> FEATURE: 178 <221> NAME/KEY: MOD RES 179 <222> LOCATION: (5)..(5) 180 <223> OTHER INFORMATION: Aib 183 <220> FEATURE: 184 <221> NAME/KEY: MOD_RES 185 <222> LOCATION: (7)..(7) 186 <223> OTHER INFORMATION: bAla 189 <220> FEATURE: 190 <221> NAME/KEY: MOD RES 191 <222> LOCATION: (9)..(10) 192 <223> OTHER INFORMATION: Aib 195 <220> FEATURE: 196 <221> NAME/KEY: MISC FEATURE 197 <222> LOCATION: (11)..(11) 198 <223> OTHER INFORMATION: pipecolic acid 201 <220> FEATURE: 202 <221> NAME/KEY: MOD RES 203 <222> LOCATION: (12)..(12) 204 <223> OTHER INFORMATION: Aib 207 <220> FEATURE: 208 <221> NAME/KEY: MOD RES 209 <222> LOCATION: (15)..(15) 210 <223> OTHER INFORMATION: BLOCKED, isovaline

RAW SEQUENCE LISTING

RAW SEQUENCE LISTING PATENT APPLICATION: US/10/660,051 Input Set: A:\Sequence-100-030911.txt

Output Set: N:\CRF4\09242003\J660051.raw 213 <400> SEQUENCE: 3 W--> 215 Xaa Ala Xaa Val Ala Leu Ala Gly Ala Ala Xaa Ala Gly Leu Val 216 1 . . 5 219 <210> SEQ ID NO: 4 220 <211> LENGTH: 15 221 <212> TYPE: PRT 222 <213> ORGANISM: Tolypocladium niveum 224 <220> FEATURE: 225 <221> NAME/KEY: MISC_FEATURE 226 <222> LOCATION: (1)..(1) 227 <223> OTHER INFORMATION: ACETYLATION, pipecolic acid 230 <220> FEATURE: 231 <221> NAME/KEY: MOD_RES 232 <222> LOCATION: (2)..(2) 233 <223> OTHER INFORMATION: Aib 236 <220> FEATURE: 237 <221> NAME/KEY: MISC_FEATURE 238 <222> LOCATION: (3)..(3) 239 <223> OTHER INFORMATION: pipecolic acid 242 <220> FEATURE: 243 <221> NAME/KEY: MOD RES 244 <222> LOCATION: (4)..(5) 245 <223> OTHER INFORMATION: Aib 248 <220> FEATURE: 249 <221> NAME/KEY: MOD RES 250 <222> LOCATION: (7)..(7) 251 <223> OTHER INFORMATION: bAla 254 <220> FEATURE: 255 <221> NAME/KEY: MOD RES 256 <222> LOCATION: (9)..(10) 257 <223> OTHER INFORMATION: Aib 260 <220> FEATURE: 261 <221> NAME/KEY: MISC FEATURE 262 <222> LOCATION: (11)..(11) 263 <223> OTHER INFORMATION: pipecolic acid 266 <220> FEATURE: 267 <221> NAME/KEY: MOD RES 268 <222> LOCATION: (12)...(12) 269 <223> OTHER INFORMATION: Aib 272 <220> FEATURE: 273 <221> NAME/KEY: MOD RES 274 <222> LOCATION: (15)..(15) 275 <223> OTHER INFORMATION: BLOCKED, isovaline 278 <400> SEQUENCE: 4

278 <400> SEQUENCE: 4 W--> 280 Xaa Ala Xaa Ala Ala Leu Ala Gly Ala Ala Xaa Ala Ala Leu Val 281 1 5 10 15 284 <210> SEQ ID NO: 5 285 <211> LENGTH: 15

286 <212> TYPE: PRT

RAW SEQUENCE LISTING DATE: 09/24/2003 PATENT APPLICATION: US/10/660,051 TIME: 10:39:04

Input Set : A:\Sequence-100-030911.txt
Output Set: N:\CRF4\09242003\J660051.raw

```
287 <213> ORGANISM: Tolupocladium niveum
     289 <220> FEATURE:
     290 <221> NAME/KEY: MISC FEATURE
     291 <222> LOCATION: (1)..(1)
     292 <223> OTHER INFORMATION: ACETYLATION, pipecolic acid
     295 <220> FEATURE:
     296 <221> NAME/KEY: MOD_RES
     297 <222> LOCATION: (2)..(2)
     298 <223> OTHER INFORMATION: Aib
     301 <220> FEATURE:
     302 <221> NAME/KEY: MISC FEATURE
     303 <222> LOCATION: (3)..(3)
     304 <223> OTHER INFORMATION: pipecolic acid
     307 <220> FEATURE:
     308 <221> NAME/KEY: MOD RES
     309 <222> LOCATION: (4)...(4)
     310 <223> OTHER INFORMATION: isovaline
     313 <220> FEATURE:
     314 <221> NAME/KEY: MOD RES
     315 <222> LOCATION: (5)..(5)
     316 <223> OTHER INFORMATION: Aib
     319 <220> FEATURE:
     320 <221> NAME/KEY: MOD RES
     321 <222> LOCATION: (7)..(7)
     322 <223> OTHER INFORMATION: bAla
     325 <220> FEATURE:
     326 <221> NAME/KEY: MOD RES
     327 <222> LOCATION: (9)..(10)
     328 <223> OTHER INFORMATION: Aib
     331 <220> FEATURE:
     332 <221> NAME/KEY: MISC FEATURE
     333 <222> LOCATION: (11)..(11)
     334 <223> OTHER INFORMATION: pipecolic acid
     337 <220> FEATURE:
     338 <221> NAME/KEY: MOD RES
     339 <222> LOCATION: (12)..(12)
     340 <223> OTHER INFORMATION: Aib
     343 <220> FEATURE:
     344 <221> NAME/KEY: MOD RES
     345 <222> LOCATION: (15)..(15)
     346 <223> OTHER INFORMATION: BLOCKED, isovaline
     349 <220> FEATURE:
     350 <221> NAME/KEY: MOD RES
     351 <222> LOCATION: (15)..(15)
     352 <223> OTHER INFORMATION: BLOCKED, isovaline
     355 <400> SEQUENCE: 5
W--> 357 Xaa Ala Xaa Val Ala Leu Ala Gly Ala Ala Xaa Ala Ala Leu Val
     358 1
```

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 09/24/2003 PATENT APPLICATION: US/10/660,051 TIME: 10:39:05

Input Set : A:\Sequence-100-030911.txt
Output Set: N:\CRF4\09242003\J660051.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,3,11
Seq#:2; Xaa Pos. 1,3,11
Seq#:3; Xaa Pos. 1,3,11
Seq#:4; Xaa Pos. 1,3,11
Seq#:5; Xaa Pos. 1,3,11

VERIFICATION SUMMARY

DATE: 09/24/2003

PATENT APPLICATION: US/10/660,051

TIME: 10:39:05

Input Set : A:\Sequence-100-030911.txt Output Set: N:\CRF4\09242003\J660051.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application No

L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date

L:79 M:341 W: (46) "n" or "Xaa" used, for SEQ ID\$\$#:1 after pos.:0\$

L:144 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0

L:215 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0

L:280 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0

L:357 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0